

SSC CHSL Tier-I 2022-23 Memory Based (Quantitative Aptitude) (Based on 09 Mar 2023 Exams)

 Q1. Rs. 16,000 A barrowed from B at the rate of 10% p.a. compound interest. What would be the Amount of compound interest after two years. (a) Rs. 2065 (b) Rs. 3,030 (c) Rs. 3,360 (d) Rs. 3,340 Q2. If the sides of a triangle are 10cm, 17cm and 	Q6. If $\frac{p}{q} = \frac{r}{s} = \frac{t}{u} = \frac{7}{3}$, then $\frac{4p^{2}-5r^{2}+6t^{2}}{4q^{2}-5s^{2}+6t^{2}} = ?$ (a) $\frac{7}{3}$ (b) $\frac{343}{81}$ (c) $\frac{27}{49}$ (d) $\frac{49}{9}$ Q7. A certain type of work is completed by A in 30
21cm then find the inradius of the circle. (a) 2.5cm (b) 5cm (c) 4cm (d) 3.5cm Q3. If cosec θ + cot $\theta = \frac{25}{13}$, find the value of cosec θ =? (a) $\frac{397}{325}$ (b) $\frac{425}{400}$ (c) $\frac{315}{300}$ (d) $\frac{217}{281}$	Q7. A certain type of work is completed by A in 30 days. Similar, type of work completed by B in 24 days. If Rs. 27000 is paid to A and B, then the amount earn by A is: (a) 13,500 (b) 16,500 (c) 12,000 (d) 15,000 Q8. If $\cot \theta = \frac{24}{7}$ then, $\sin^2 \theta = ?$ (a) $\frac{49}{625}$ (b) $\frac{484}{27}$ (c) $\frac{49}{25}$
Q4. There is a circle whose radius 17cm and the chord of the circle is 30cm. Find the perpendicular distance between the center of circle from chord. (a) 14 (b) 8 (c) 11 (d) 9 Q5. If $a + b = c$, then, $a^3 + b^3 - c^3 + 3abc = ?$ (a) 1 (b) 2 (c) 0 (d) Can't determine 1	(d) $\frac{7}{25}$

Q9. The radius of two circles are 13cm and 6cm. The distance between the centre of the circle is 25cm find the length of the direct common tangent. (a) 25 (b) 21 (c) 24 (d) 27 Q10. In $\triangle ABC$, $\angle B = 70^{\circ}$ and $\angle C = 60^{\circ}$. The internal bisectors of the two smallest angles of $\triangle ABC$ meet at 0. The angle so formed at 0 is: (a) 125° (b) 120° (c) 115° (d) 110°	Q15. If a certain sum of money becomes Rs. 4030 in 3 years at 10% p.a. simple interest find the principal amount (a) Rs. 3100 (b) Rs. 4000 (c) Rs. 2900 (d) Rs. 3125 Q16. If $k + 1 - 2 = 0$, then $k^{17} + \frac{-1}{k^{18}} = ?$, $k > 0$ (a) 5 (b) 6 (c) 1 (d) 2
Q11. The average weight of 120 students in a school is 62.5 kg. 30 more students are included then the average weight of students becomes 59.5 kg. Find the average weight of 30 new students. (a) 70 kg (b) 59.5 (c) 47.5 kg (d) 49 kg Q12. If the marked price of an article is 700 Rs. It is sold after two successive discount 20% and 40%. Find the selling price of the article (a) Rs. 336 (b) Rs. 400 (c) Rs. 286 (d) Rs. 306 Q13. Simplify the expression. $\frac{\tan A - \sin A}{\tan A + \sin A}$ (a) $\sin^2 A$ (b) $\frac{(1 - \cos A)^2}{\sin^2 A}$ (c) $\cos^2 \theta$ (d) $\frac{\sin^2 A}{(1 + \cos^2 A)}$ Q14. A person covers 40 km, in 24 minutes. If that person decreases his speed by 40%, then time take by him to cover 40 km distance is: (a) 42 min (b) 44 min (c) 36 min (d) 40 min	Q17. Find the value of $289 \pm 17 \times 14 \pm 946 - 1125$ (a) 71 (b) 61 (c) 49 (d) 59 Q18. $\frac{18\times4+289\pm17-125}{10\pm14\pm7\pm9-5\times5}$ (a) 9 (b) 10 (c) 12 (d) 5 Q19. If a : b = 3 : 7 and c : b = 2 : 3, then a : b : c is equal to: (a) 9 : 24 : 28 (b) 5 : 6 : 28 (c) 9 : 21 : 14 (d) 5 : 8 : 14 Q20. In $\triangle ABC$, M is a point on BC such that BM : MC = 3 : 4 and N is the mid point of BM. Then, ar($\triangle ABN$) : ar($\triangle ABC$) is equal to: (a) 4 : 3 (b) 3 : 4 (c) 3 : 14 (d) 3 : 7

Т

Q21. The radii of the two circular faces of the frustum of a cone of height 35 cm are 6 cm and 3 cm. What is its volume in cm³? ($\pi = 22/7$)

(a) 2310

(b) 2290

(c) 2270

(d) 2340

Q22. This table shows the number of students studying in various streams in different colleges.

Streams	Colle	ollege			
Streams	А	В	С	D	Е
Arts	580	460	320	470	370
Science	620	680	540	360	400
Commerce	480	520	350	520	330

What is the ratio of the number of students studying science in colleges A and B together to the number of students studying commerce in colleges

- D and E together?
- (a) 21 : 17
- (b) 23 : 15
- (c) 13 : 8
- (d) 26 : 17

Q23. This table shows the number of students studying in various streams in different colleges.

Streams	College			r .		
Streams	Α	В	C	D	E	
Arts	580	460	320	470	370	
Science	620	680	540	360	400	
Commerce	480	520	350	520	330	

What is the average of the number of students in the arts stream in all the colleges taken together?

- (a) 450
- (b) 470
- (c) 440
- (d) 460

Q24. This table shows the number of students studying in various streams in different colleges.

Streams	Colle	lege				
Streams	А	В	С	D	E	
Arts	580	460	320	470	370	
Science	620	680	540	360	400	
Commerce	480	520	350	520	330	

If the data about students of the commerce stream in all colleges is represented by a pie-chard, what is the central angle of the sector representing college D, to the nearest degree?

- (a) 80° (b) 82°
- (c) 88°
- (d) 85°

Q25. Two articles are sold for Rs. 2508 each. On one, there is a gain of 15% and on the other, there is a loss of 15%. What is the overall gain or loss percent to the nearest two decimal places?

- (a) 2.75% gain
- (b) 2.75% loss
- (c) 2.25% gain
- (d) 2.25% loss

Solutions:

S1. Ans.(c)	S2. Ans.(d)
Sol. P = 16,000 r = 10% time = 2 years	Sol. S = $\frac{a+b+c}{c}$ = $\frac{10+17+21}{c}$ = 24cm
Amount = $P(1 + \frac{r}{100})^{t}$ Amount = 16,000 $(1 + \frac{10}{100})^{2}$	Area of triangle = $\sqrt{s(s-a)(s-b)(s-c)} = \sqrt{24 \times 14 \times 7 \times 3} = 84$ Inradius of circle = <u>Area of triangle</u> = $\frac{84}{2} = 3.5$ cm
Amount = 19,360	Semi-perimeter 24
CI = Amount – Principal = 19,360 – 16,000 = 3,360	S3. Ans.(a) Sol. We know $\csc \theta + \cot \theta = K$

then $\operatorname{cosec} \theta - \cot \theta = \frac{1}{K}$ So, $\operatorname{cosec} \theta + \cot \theta = \frac{25}{13} - - - (i)$ $\operatorname{cosec} \theta - \cot \theta = \frac{13}{25} - - - (ii)$ On adding eq. (i) & (ii) $\operatorname{2cosec} \theta = \frac{25}{13} + \frac{13}{25}$ $\operatorname{cosec} \theta = \frac{397}{325}$

S4. Ans.(b) Sol. Let AB (Chord) = 30cm OB (radius) = 17cm

$$\begin{array}{c} 0 \\ 0 \\ 17 \\ A \\ 15 \\ MB = \frac{AB}{2} = \frac{30}{2} = 15, \end{array}$$

Now, $OM = \sqrt{OB^2 - MB^2} = \sqrt{17^2 - 15^2} = 8$

S5. Ans.(c) Sol. We know, a + b + c = 0,

then, $a^{3} + b^{3} + c^{3} - 3abc = 0$ So, $a^{3} + b^{3} - c^{3} + 3abc = 0$ S6. Ans.(d) Sol. We know If $p = \frac{r}{q} = \frac{t}{u} = \frac{7}{3}$ then, $\frac{4p^2 - 5r^2 + 6t^2}{4q^2 - 5s^2 + 6t^2} = (\frac{7}{3})^2 = \frac{49}{9}$

S7. Ans.(c) Sol. We know


Earning \propto EfficiencyABDays3024Time Ratio5:Sefficiency Ratio4:Sow, Amount earn by $A = \frac{4}{9} \times 27000 = 12000$

S8. Ans.(a) Sol. $\cot \theta = \frac{24}{7} \rightarrow Base$ $\rightarrow Perpendicular$

Then, Hypotenous = 25 Now, $\sin^2 0 = (7)^2 = 4$

$$\sin^2\theta = \left(\frac{7}{25}\right)^2 = \frac{49}{625}$$

S9. Ans.(c) Sol.



Direct common tangent

$$= \sqrt{d^2 - (r_1 r_2)^2} = \sqrt{25^2 - (13 - 6)^2}$$

= 24cm

S10. Ans.(a) Sol.

A $C \xrightarrow{50^{\circ}} 70^{\circ} B$ $A0C = 90 + \frac{\angle B}{2} \implies = 90 + 35 = 125^{\circ}$

S11. Ans.(c) Sol. Average weight of 30 New students = $\frac{150 \times 59.5 - 62.5 \times 120}{2}$

 $=\frac{30}{30}$ $=\frac{1425}{30}=47.5$

S12. Ans.(a) Sol. SP = 700 × $\frac{80}{100}$ × $\frac{60}{100}$ = 336

100

S13. Ans.(b)

Sol.

 $\frac{\tan A - \sin A}{\tan A + \sin A} = \frac{\frac{\sin A}{-\sin A}}{\frac{\operatorname{ges} A}{\operatorname{wos} A} + \sin A} = \frac{\sin A(1 - \cos A)}{\sin A (1 + \cos A)}$ $= \frac{1 - \cos A}{1 + \cos A} \times \frac{1 - \cos A}{1 - \cos A} = \frac{(1 - \cos A)^2}{\sin^2 A}$

S14. Ans.(d)

Sol. Speed = $\frac{40}{24} \times 60 = 100$ km/hr Speed decreased by 40% then speed = 60 km/hr Time required to cover 40 km, = $\frac{40}{60} \times 60 = 40$ min

\$15. Ans.(a)


Sol. SI for 3 year = $10 \times 3 = 30\%$ Then $(100 + 30)\% \rightarrow 4030$ $130\% \rightarrow 4030$ $1\% \rightarrow 31$ $100\% \rightarrow 3100$

S16. Ans.(d) Sol.

 $k + \frac{1}{k} = 2$ then, put k = 1 $k^{17} + \frac{1}{k^{18}} = 1 + 1 = 2$

S17. Ans.(d)

Sol. $\Rightarrow 289 \div 17 \times 14 + 946 - 1125$ $\Rightarrow 17 \times 14 + 946 - 1125$ $\Rightarrow 238 + 946 - 1125$ $\Rightarrow 1184 - 1125 = 59$ Sol. $\Longrightarrow \frac{18 \times 4 + 289 \div 17 - 125}{10 + 14 \div 7 + 9 - 5 \times 5}$ $\implies \frac{72+17-125}{21-25} = \frac{-36}{-4} = 9$ S19. Ans.(c) Sol. b : : а С 3 7 ×3 2 3 $\times 7$ \Rightarrow 9 : 21 : 14 S20. Ans.(C) Sol.



S18. Ans.(a)

 $\frac{ar(\Delta ABN)}{ar(\Delta ABC)} = \frac{BN}{BC} = \frac{1.5}{7} = \frac{3}{14}$ triangles)

(height is same in all

S21. Ans.(a) Sol. Volume of frustum = $\frac{\pi h}{3} (r^2 + R^2 + rR)$ $\Rightarrow \frac{22}{7 \times 3} \times 35 (6^2 + 3^2 + 18)$ = 2310 cm³

S22. Ans.(d) Sol. Science in A and B = 620+680 =1300 Commerce in D and E = 850 Required ratio = 1300: 850 = 26: 17

S23. Ans.(c) Sol. Req. avg = $\frac{2200}{5}$ = 440

S24. Ans.(d)

Sol. Required angle $=\frac{520}{2200} \times 360^{\circ}$

= 85

S25. Ans.(d) Sol. CP SP 100x85 115x85 100x115 85x115 20,000 19,550 -450

